

Medications to Avoid Before and After Surgery

***NO Aspirin, Ibuprofen, Vitamin E, Fish Oil, or Omega 3s for for 2 weeks before and after surgery**

If you are taking any medications on this list, they should be discontinued 10-14 days prior to surgery, and only Tylenol should be taken for pain. All other medications that you are currently taking must be specifically cleared by your doctor prior to surgery. It is absolutely necessary that all of your current medications be specifically cleared by your doctor and the nursing staff.

Aspirin Medications to Avoid

4-Way Cold Tabs	5-Aminosalicylic Acid	Acetilsalicylic Acid
Adprin-B products	Alka-Seltzer products	Amigesic
Anacin products	Anexsia w/ Codeine	Argesic-SA
Arthra-G	Arthriten products	Arthritis Foundation products
Arthritis Pain Formula	Arthritis Strength BC Powder	Arthropan
ASA	Asacol	Ascriptin products
Aspergum	Asprimox products	Axotol
Azdone	Azulfidine products	B-A-C
Backache Maximum Strength Relief	Bayer products	BC Powder
Bismatrol products	Buffered Aspirin	Bufferin products
Buggetts 11	Buffex	Butal/ASA/Caff
Butalbital Compound	Cama Arthritis Pain Reliever	Carisoprodol Compound
Cheracol	Choline Magnesium Trisalicylate	Choline Salicylate
Cope	Coricidin	Cortisone Medications
Damason-P	Darvon Compound-65	Darvon/ASA
Dipentum	Disalcid	Doan's products
Dolobid	Dristan	Duragesic
Easprin	Ecotrin products	Empirin products
Equagesic	Excedrine products	Fiorgen PF
Fiorinal products	Gelpirin	Genprin
Gensan	Goody's Extra Strength Headache Powders	Halfprin products
Isollyl Improved	Kaodene	Lanorinal
Lortab ASA	Magan	Magnaprin products
Magnesium Salicylate	Magsal	Marnal
Marthritic	Meprobamate	Mesalamine
Maethocarbamol	Micrainin	Mobidin
Mobigesic	Momentum	Mono-Gesic
Night-Time Effervescent Cold	Norgesic products	Norwich products
Olsalazine	Orphengesic products	Oxycodone
Pabalate products	P-A-C	Pain Reliever Tabs
Panasal	Pentasa	Pepto-Bismol
Percodan products	Phenaphen/Codeine #3	Pink Bismuth
Propoxyphene Compound products	Robaxisal	Rowasa
Roxeprin	Saleto products	Salflex
Salicylate products	Salsalate	Salsitab
Scot-Tussin Original 5-Action	Sine-off	Sinutab
Sodium Salicylate	Sodol Compound	Soma Compound
St. Joseph Aspirin	Sulfasalazine	Supac
Suprax	Synalgos-DC	Talwin
Triamcinin	Tricosal	Urinus-Inlay
Vanquish	Wespirin	Willow Bark products
		Zorprin

Medications to Avoid Before and After Surgery

Aspirin Medications to Avoid

Actron	Acular (ophthalmic)	Advil products
Aleve	Anaprox products	Anasaid
Cataflam	Clinoril	Daypro
Diclofenac	Dimetapp Sinus	Dristan Sinus
Etodolac	Feldene	Feneprofen
Flurbiprofen	Genpril	Haltran
IBU	Ibuprin	Ibuprofen
Ibuprohm	Indochron E-R	Indocin products
Indomethacin products	Keoprofen	Ketorolac
Lodine	Meclofenamate	Meclomen
Mefenamic Acid	Menadol	Midol products
Motrin products	Nabumetone	Nafion products
Naprelan	Naprosyn products	Naprox X
Naproxen	Nuprin	Ocufen (ophthalmic)
Orudis products	Oruvail	Oxaprozin
Piroxicam	Ponstel	Profenal
Relafen	Rhinocaps	Sine-Aid products
Sulindac	Suprofen	Tolectin products
Tolmetin	Toradol	Volatren

Other Medications to Avoid

4-Way w/ Codeine	A.C.A.	A-A Compound
Accutrim	Actified	Anexsia
Anisinddione	Anturane	Arthritis Bufferin
BC tablets	Children's Advil	Clinoril C
Contac	Coumadin	Dalteparin injection
Dicumerol	Dipyridamole	Doxycycline
Emagrin	Enoxaparin injection	Flagyl
Fragmin injection	Furadantin	Garlic
Heparin	Hydrocortisone	Isollyl
Lovenox injection	Macrofantin	Mellaril
Miradon	Opasal	Pan-PAC
Pentoxifylline	Persantine	Phenylpropanolamine
Prednisone	Protamin	Pyroxate
Ru-Tuss	Salatin	Sinex
Sofarin	Soltice	Sparine
Stelazine	Sulfinpyrazone	Tenuate
Tenuate Dospan	Thorazine	Ticlid
Ticlopidine	Trental	Ursinus
Vibramycin	Vitamin E	Warfarin

Tricyclic Antidepressant Medications to Avoid

Adapin	Amitriptyline	Amoxapine
Anafranil	Asendin	Aventyl
Clomipramine	Desipramine	Doxepin
Elavil	Endep	Etrafon products
Imipramine	Janimine	Limbitrol products
Ludiomil	Maprotiline	Norpramin
Nortriptyline	Pamelor	Pertofrane
Protriptyline	Sinequan	Surmontil
Tofranil	Triavil	Trimipramine
Vivactil		

Over the Counter Herbal Supplement Medications to Avoid

Ginko Biloba	Ginseng	St. John's Wart
--------------	---------	-----------------